

CONFIRM™ RAPID READ 20-MINUTE

BI Sterilization Record Sheet



Facility Name: _____

Cycle/Load Details				BI Test & Control Details				Operator/ Initials	Notes
Date	Load#	Load Contents	Sterilizer #	Indicator Result	Lot#	Control BI Result	Test BI Result		
				Pass		Negative (-)	Negative (-)		
				Fail		Positive (+)	Positive (+)		
				Pass		Negative (-)	Negative (-)		
				Fail		Positive (+)	Positive (+)		
				Pass		Negative (-)	Negative (-)		
				Fail		Positive (+)	Positive (+)		
				Pass		Negative (-)	Negative (-)		
				Fail		Positive (+)	Positive (+)		
				Pass		Negative (-)	Negative (-)		
				Fail		Positive (+)	Positive (+)		
				Pass		Negative (-)	Negative (-)		
				Fail		Positive (+)	Positive (+)		
				Pass		Negative (-)	Negative (-)		
				Fail		Positive (+)	Positive (+)		

Cycle/Load Details				BI Test & Control Details				Operator/ Initials	Notes
Date	Load#	Load Contents	Sterilizer #	Indicator Result	Lot#	Control BI Result	Test BI Result		
				Pass		Negative (-)	Negative (-)		
				Fail		Positive (+)	Positive (+)		
				Pass		Negative (-)	Negative (-)		
				Fail		Positive (+)	Positive (+)		
				Pass		Negative (-)	Negative (-)		
				Fail		Positive (+)	Positive (+)		
				Pass		Negative (-)	Negative (-)		
				Fail		Positive (+)	Positive (+)		
				Pass		Negative (-)	Negative (-)		
				Fail		Positive (+)	Positive (+)		
				Pass		Negative (-)	Negative (-)		
				Fail		Positive (+)	Positive (+)		
				Pass		Negative (-)	Negative (-)		
				Fail		Positive (+)	Positive (+)		
				Pass		Negative (-)	Negative (-)		
				Fail		Positive (+)	Positive (+)		
				Pass		Negative (-)	Negative (-)		
				Fail		Positive (+)	Positive (+)		